
Ordering code

T171X






Weight 12 gr.
Example: T171X: Size 1 coupling flange
-Enables the quick connnection of two functions

Flange Y

Ordering code

T171Y





Weight 18 gr.

Example: T171Y: Size 1 coupling flange with mounting holes

- Used to couple together two elements and

to panel mount them.


- Used to panel mount one single element.

Fixing bracket

Ordering code

17150





Single unit panel

mounting dimensions

Weight 32 gr.

- Allows for regulators and filter regulators to be panel mounted.

Pressure gauge

Ordering code


17070**V**.**⑤**

	VERSION
V	A = Dial Ø40
	B = Dial Ø50
	SCALE
8	A = Scale 0-4 bar
0	B = Scale 0-6 bar

C = Scale 0-12 bar









DIMENSIONS									
CODE	Α	В	С	D	Е	G	Weight gr.		
17070A	44	10	26	41	14	1/8"	60		
17070B	45	10	27	49	14	1/8"	80		

Ordering code

T172X








Weight 21 gr.
Example: T172X: Size 2 coupling flange
- Enables the quick connection of two functions.


Flange Y

Ordering code

T172Y







62

Weight 33 gr.
Example: T172Y: Size 2 coupling flange with mounting holes
- Used to couple together two elements and

- to panel mount them.

 Used to panel mount one single element.


Fixing bracket

Ordering code

T17250



Single unit panel mounting dimensions



Weight 71 gr.

- Allows for regulators and filter regulators to be panel mounted.

Pressure gauge

Ordering code


17070**V**.**⑤**

VERSION A = Dial Ø40 B = Dial Ø50 SCALE

A = Scale 0-4 bar B = Scale 0-6 bar C = Scale 0-12 bar







DIMENSIONS									
	CODE	Α	В	С	D	Е	G	Weight gr.	
	17070A	44	10	26	41	14	1/8"	60	
	17070D	ΛE	10	27	40	1.4	1 /011	90	

3.134

Size 3

Ordering code

Series Airplus

T173X




Weight 35 gr.
Example: T173X: Size 3 coupling flange
- Enables the quick connnection of two functions.

Flange Y

Ordering code

T173Y





Weight 48 gr.

Example: T173Y: Size 3 coupling flange with mounting holes

- Used to couple together two elements and

- to panel mount them.

 Used to panel mount one single element.


Single unit panel mounting dimensions


Fixing bracket

Ordering code

T17250







6.8

Weight 71 gr.

- Allows for regulators and filter regulators to be panel mounted.

Pressure gauge

Ordering code


17070**V**.**⑤**

VERSION A = Dial Ø40 B = Dial Ø50 SCALE

A = Scale 0-4 bar B = Scale 0-6 bar C = Scale 0-12 bar









DIMENSIONS									
CODE	Α	В	С	D	Е	G	Weight gr.		
17070A	44	10	26	41	14	1/8"	60		
17070B	45	10	27	49	14	1/8"	80		

Ordering code

T174X








Weight 90 gr.
Example: T174X: Size 4 coupling flange
- Enables the quick connection of two functions.

Flange Y

Ordering code

T174Y





Weight 120 gr.
Example: T174Y: Size 4 coupling flange with mounting holes
- Used to couple together two elements and
to panel mount them.
- Used to panel mount one single element.


Pressure gauge

Ordering code

17070**Ø**.**⑤**

VERSION
A = Dial Ø40
B = Dial Ø50
SCALE
A = Scale 0-4 bar B = Scale 0-6 bar
B = Scale 0-6 bar
C = Scale 0-12 bar





DIMENSIONS									
	CODE	Α	В	С	D	Е	G	Weight gr.	
	17070A	44	10	26	41	14	1/8"	60	
	17070B	45	10	27	49	14	1/8"	80	